

CONTEMPORARY GAS FIREPLACES



WHY CHOOSE REGENCY?

At Regency, our past 40 years have been focused on providing a high-level of service while building high-quality and reliable products that our customers can enjoy for years to come.

HIGH-QUALITY

Producing a high-quality product has been at the very heart of what we do from when that very first stove rolled off the production line over 40 years ago to today. We are ever-focused on producing quality products for our customers that will last for years to come.

BEST WARRANTY

A fireplace should be reliable and should work right the first time it is used, and the 1,000th. A core part of our business is making sure that we are building long-lasting, durable, high-quality products; we back-up that commitment with the industry's best warranty on all our products.

COST-EFFICIENT

Never before have home heating costs been higher. Turn your furnace way down and zone heat with our beautiful, reliable and convenient Regency products. Not only can you cut your fuel bills in half, but you'll be able to enjoy the timeless comfort of a Regency fire.

Why Regency? Because it's more than a fireplace!



TABLE OF CONTENTS

Regency Ultimate™ Gas Fireplaces

U1500E 04 U900E 06

Regency Horizon® Gas Fireplaces

HZ54E 08
HZ40E 10
HZ30E 12
HZ42STE 14
HZ965E 16

18

Design Options 20

HZ33CE

Accessories 22

Specifications 24

Design Inspiration 30





REGENCY ULTIMATETM | U1500E Large Contemporary Gas Fireplace

COST-EFFICIENT HEATING

Enjoy a wide landscape view of our most realistic log sets and glowing ember-bed with the U1500E Ultimate gas fireplace. The Ultimate series features a seamless design, coastal driftwood logs set upon a glowing linear emberbed, and beautiful wide angle flames enhanced by reflective black enamel side panels.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	43,000	42,000
Turn down to (BTU)	29,000	33,500
Efficiency (steady state)	73.72%	74.67%
EnerGuide Rating (Canada only)	67.46%	69.64%

DIMENSIONS	
Viewing Area	611 sq. in.
Width (Clean finish)	48"
Height (Clean finish)	16-3/16"

For additional surround dimensions see page 28. For detailed specifications please see pages 20-25.



- Natural gas
- Safety screen
- Glowing linear ember bed
- Ceramic burner & driftwood log set
- Black enamel reflective side panels
- Electronic ignition
- o 3-speed fan
- Proflame II GTMF remote control system
- Direct vent
- o Limited lifetime warranty

- o Contemporary inner door frame & black surround
- Inner door frame
- o Premium glass surround in black
- Flush finish option (no outer frame required)
- Optional finishing trim for clean edge finish (W: 50-3/4" x H: 19")
- Steel stud framing kit (recommended)
- AstroCap® venting
- HeatWave™ power duct kit & HeatRelease™ kit
- o Propane conversion kit





REGENCY ULTIMATETM | U900E Medium Contemporary Gas Fireplace

ULTIMATE FLAME PACKAGE

The Regency ultimate linear gas fireplace showcases our best-in-class flame and log package. Perfect for modern spaces and open concept living areas, clean burning heat is distributed throughout your home.

EXPANSIVE HEAT

Colder climates benefit from the combination of intense radiant heat and extensive convective heat delivered by the U900E's built in blower. The black enamel reflective panels accentuate the fire to create perfect ambiance.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	34,000	31,500
Turn down to (BTU)	23,500	25,000
Efficiency (steady state)	73.31%	73.77%
EnerGuide Rating (Canada only)	68.28%	69.49%

DIMENSIONS	
Viewing Area	455 sq. in.
Width (Clean finish)	39-3/8"
Height (Clean finish)	17-5/8"

For additional surround dimensions see page 28. For detailed specifications please see pages 20-25.



- Natural gas or propane
- Safety screen
- Glowing linear ember bed
- Ceramic burner & driftwood log set
- Black enamel reflective side panels
- o Electronic ignition
- o 3-speed fan
- Proflame II GTMF remote control system
- Direct vent
- Heat exchanger
- $\circ \quad \hbox{Limited lifetime warranty} \\$

- o Contemporary inner door frame & black surround
- o Inner door frame
- o Premium glass surround in black
- Flush finish option (no outer frame required)
- Optional finishing trim for clean edge finish (W: 40-1/8" x H: 18-1/4")
- Steel stud framing kit (recommended)
- AstroCap® venting
- Heat distribution kit to distribute heat to other rooms





REGENCY HORIZON® | HZ54E Large Contemporary Gas Fireplace

DRAMATIC FLAMES

The Regency horizon HZ54E offers a wide angle view of our unique and dramatic flame; perfect for contemporary homes and open concept living spaces.

STUNNING CONTEMPORARY STYLE

Inner reflective panels amplify the appearance of this stunning fire. Contemporary styling is paired with practical function, delivering consistent, controllable heat – even during power outages.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	41,500	37,000
Turn down to (BTU)	29,000	30,000
Efficiency (steady state)	69.36%	72.02%
EnerGuide Rating (Canada only)	64.45%	67.72%

DIMENSIONS	
Viewing Area	685 sq. in.
Width (Clean finish)	56-11/16"
Height (Clean finish)	25-1/8"

For additional surround dimensions see page 28. For detailed specifications please see pages 20-25.





- Natural gas or propane
- Safety screen
- 40" burner covered with crystals (purchased separately)
- Electronic ignition with SureFire™ switch
- Proflame I GTMF remote control
- o Direct vent
- o Limited lifetime warranty


OPTIONS

- Contemporary inner frame & faceplate in black or brushed stainless steel
- Verona glass surrounds in 2 colors
- o Black enamel inner reflective panels
- Ceramic spa stones, volcanic stones
- o Crystals in various colors
- Firebeads in various colors

Variable speed blower

- Natural river pebbles
- o Driftwood log set
- Wall thermostat
- AstroCap® venting
- HeatWave™ power duct kit & HeatRelease™ kit
- Steel stud framing kit (recommended)





REGENCY HORIZON® | HZ40E Medium Contemporary Gas Fireplace

DRAMATIC FLAME WITH PERFECT HEAT

Feature a stunning firescape in your space with the Regency horizon HZ40E, a mid-sized contemporary gas fireplace that offers a dramatic flame and ample heat.

TRANSFORM YOUR SPACE

Rev up the atmosphere with glass crystals in a choice of colors, or create a tranquil escape using spa stones or driftwood logs. Transform any room into an experience with this Regency unit.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	26,000	25,500
Turn down to (BTU)*	18,000	21,000
Efficiency (steady state)	69.70%	72.03%
EnerGuide Rating (Canada only)	64.44%	66.75%

DIMENSIONS	
Viewing Area	464 sq. in.
Width (Clean finish)	38-1/4"
Height (Clean finish)	16-7/8"

For additional surround dimensions see page 28. For detailed specifications please see pages 20-25.







- Natural gas or propane
- Safety screen
- 30" burner covered with crystals (purchased separately)
- ∘ Electronic ignition with SureFire™ switch
- Proflame I GTMF remote control
- o Direct vent
- o Limited lifetime warranty

- Flush finish option (no outer frame required)
- Contemporary outer faceplate in 2 colors (in 2 styles)*
- Contemporary inner door frame in 2 colors
- Verona glass surrounds in 2 colors*
- Black enamel inner reflective panels
- Ceramic spa stones, volcanic stones
- Crystals in various colors
- Firebeads in various colors
- Natural river pebbles
- Driftwood log setWall thermostat
- vall theimostat
- Variable speed blowerAstroCap® venting system
- HeatWave™ power duct kit and HeatRelease™ kit
- Steel stud framing kit (recommended)



^{**}NOTE: The wall above fireplace is non-combustible



REGENCY HORIZON® | HZ30E Small Contemporary Gas Fireplace

FRAMELESS STYLE

The smaller profile of the Regency horizon HZ30E features a wide view design set in a seamless frame. With minimal impact on floor space, the HZ30E offers modern styling with options that can be easily integrated into any room, providing great looks with just the right amount of warmth and comfort.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	14,000	13,000
Turn down to (BTU)*		
Efficiency (steady state)	69.74%	69.74%
EnerGuide Rating (Canada only)	62.20%	61.20%

DIMENSIONS	
Viewing Area	262 sq. in.
Width (Clean finish)	27-5/8"
Height (Clean finish)	14-1/16"

For additional surround dimensions see page 28. For detailed specifications please see pages 20-25.

^{*}Not Applicable for this unit.








- Natural gas or propane
- Safety screen
- 20" burner covered with crystals (purchased separately)
- Electronic ignition with SureFire™ switch
- Proflame I GTMF remote control
- Direct vent
- o Limited lifetime warranty

- Flush finish option (no outer frame required)
- Contemporary outer faceplate in 2 colors (in 2 styles)*
- Contemporary inner faceplate in 2 colors
- Verona glass surrounds in 2 colors
- Black enamel inner reflective panels
- Driftwood log set
- Crystals in various colors
- o Firebeads in various colors
- o Volcanic stones, ceramic spa stones
- Natural river pebbles
- Wall thermostat
- Variable speed blower
- AstroCap® venting system
- Steel stud framing kit (recommended)





REGENCY HORIZON® | HZ42STE Contemporary See-Through Gas Fireplace

TWO ROOMS, ONE FIRE

Create two fire views from separate rooms with the Regency horizon HZ42STE see-through gas fireplace. This dual-sided fireplace offers a cost-effective way to divide a space while maintaining an open feel. Different wall finishes create an even more dramatic experience, delivering the ultimate two-fireplace look.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	26,000	24,500
Turn down to (BTU)	17,500	19,500
Efficiency (steady state)	70.39%	72.26%
EnerGuide Rating (Canada only)	66.28%	67.82%

DIMENSIONS	
Viewing Area (front & back)	888 sq. in.
Metal Faceplate	W: 48-3/4" x H: 23-5/8"
Verona Faceplate	W: 44" x H: 20-7/8"
Outer Faceplate	W: 43-1/16" x H: 20-9/16"


For additional surround dimensions see page 28. For detailed specifications please see pages 20-25.

^{**}NOTE: The wall above fireplace is non-combustible. Depending on the TV, it must be protected and not be exposed to the heat emitted by the appliance by either installing a mantle or having the TV recessed into a wall.



- Natural gas or propane
- Safety screens
- 30" burner covered with crystals (purchased separately)
- o Proflame I GTMF remote control
- Electronic ignition with SureFire™ switch
- o Direct vent
- Limited lifetime warranty

- Flush finish option (no outer frame required)
- Contemporary outer faceplate in 2 colors*
- Verona glass surrounds in 2 colors*
- Inner door frame in 2 colors
- Black enamel inner reflective panels
- Natural river pebbles
- o Ceramic spa stones
- o Crystals in various colors
- o Firebeads in various colors
- o Driftwood log set
- $\circ \quad \text{Wall thermostat} \\$
- AstroCap® venting
- Steel stud framing kit (recommended)





REGENCY HORIZON® | HZ965E Large Contemporary Gas Fireplace

BIG STYLE

Create a glowing centerpiece in your home with the Regency horizon HZ965E gas fireplace. Styled for contemporary environments, this large fireplace features an inset design that allows finish materials to be installed to the edges for a clean design aesthetic.

BOLD FLAMES

With one of the largest viewing areas in the Regency collection, the HZ965E offers an impressive view of the flames through heat radiating ceramic glass. A wide range of accessories and finish options make this fireplace an excellent choice for large, modern living spaces.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	48,000	48,000
Turn down to (BTU)	16,000	17,000
Efficiency (steady state)	59%	59%
EnerGuide Rating (Canada only)	57.70%	57.70%


DIMENSIONS	
Viewing Area	965 sq. in.
Width (Clean Finish)	36-13/16"
Height (Clean Finish)	33-1/4"

For detailed specifications please see pages 20-27.



- Natural gas
- Safety screen
- Clean face front with ceramic glass
- Linear fire bed covered with glass crystals (purchased separately)
- Split flow burner to allow for variable heat control
- Black enamel inner reflective panels
- Electronic ignition with SureFire™ switch
- Proflame I GTMFS remote control
- Direct vent
- Limited lifetime warranty

- Crystals in various colors
- o Firebeads in various colors
- Volcanic stones or ceramic spa stones
- Wall thermostat
- Propane conversion kit
- Vertical or horizontal vent terminations
- Heat distribution kit
- o Power vent kit
- AstroCap® venting system





REGENCY HORIZON® | HZ33CE Medium Contemporary Gas Fireplace

COMBINING FIRE & ART

Creating the right look for your space has never been easier with the Regency horizon HZ33CE gas fireplace. This medium sized fireplace offers a wide range of finishing options to suit any décor.

CREATE YOUR FIRE

Choose a frameless clean face look or one of Regency's contemporary surrounds. Finish your firebed with glass crystals in a choice of colors, then add ceramic spa stones, volcanic stones or driftwood logs to achieve the look you want.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	17,000	15,500
Turn down to (BTU)*	12,000	12,000
Efficiency (steady state)	68.96%	68.66%
EnerGuide Rating (Canada only)	64.67%	64.17%

DIMENSIONS	
Viewing Area	416 sq. in.
Width (Clean finish)	29-7/16"
Height (Clean finish)	21-3/8"

For additional surround dimensions see page 28. For detailed specifications please see pages 20-25.



- Natural gas
- Safety screen
- 20" burner covered with crystals (purchased separately)
- Electronic ignition with SureFire™ switch
- Proflame I GTMF remote control
- Direct vent
- o Limited lifetime warranty

- Clean edge install
- Contemporary faceplate in 2 colors (in 2 styles)
- Verona glass surrounds in 2 colors
- Black enamel inner reflective panels
- o Driftwood log set
- o Crystals in various colors
- o Firebeads in various colors
- o Volcanic stones, ceramic spa stones
- Natural river pebbles
- Wall thermostat
- Variable speed blower
- AstroCap® venting system
- Propane conversion kit



INTEGRATED FIREPLACE SOLUTIONS







DESIGN OPTIONS

FLUSH/CLEAN EDGE DESIGN OPTION











U1500E/U900E

HZ30E

HZ40E

HZ33CE

HZ965E

METAL SURROUNDS



Inner and outer frame U1500E/U900E



Inner and outer frame HZ30E/HZ40E/HZ54E



Verona Metal Faceplate HZ30E/HZ40E/HZ42STE



Verona Metal Surround HZ33CE

GLASS SURROUNDS



Verona Glass Surround U1500E/U900E



Verona Glass Surround HZ54E



Verona Glass Surround HZ30E/HZ40E/HZ42STE



Verona Glass Surround HZ33CE

FIREBED OPTIONS


CRYSTALS & FIREBEADS



Crystals - Black



Crystals - Copper



Crystals - Starfire



Firebeads - Black



Firebeads - Caramel Luster



Firebeads - Glacier Ice

STONES & LOGS



Volcanic Stones - Gray



Volcanic Stones - Tan



Ceramic Spa Stones



Driftwood Ceramic Log Set

INNER PANELS



Reflective Black Enamel Panels

ACCENT PEBBLES



Natural River Pebbles

FINISHING OPTIONS

METAL SURROUNDS



Black



Stainless Steel

GLASS SURROUNDS



Pure Black



Chocolate Brown

OPTIONS


ACCESSORIES - AT	A GLANCE		U1500E	U900E	HZ54E	HZ40E	HZ30E	HZ42STE	HZ965E	HZ33CI
Flush/clean edge design option		✓	✓	•	✓	✓	✓	✓	✓	
	Faceplates &	Black	*	*	*	*	*	*	•	*
Metallic surrounds	verona surrounds	Brushed stainless steel	•	•	*	*	*	*	•	*
Sarrounas	Finishing trim	Black	*	*		•	•	•	•	
Classes and all	Verona glass	Pure black	*	*	*	*	*	*	•	*
Glass surrounds	surrounds	Chocolate brown	•	•	*	*	*	*	•	*
Safety screen			✓	✓	✓	✓	✓	✓	✓	✓
		Crystals - various colors	•	•	*	*	*	*	*	*
	Regency	Firebeads - various colors	•	•	*	*	*	*	*	*
	horizon firebed	Ceramic spa stones	•	•	*	*	*	*	*	*
Interior options		Volcanic stones	•	•	*	*	*	*	*	*
·	Driftwood ceramic logs		✓	✓	*	*	*	*	•	*
	Accent pebbles (for firebox floor)	Natural river pebbles	•	•	*	*	*	*	*	*
	Inner panels	Black enamel	✓	✓	*	*	*	*	✓	*
	B	Proflame GTMF	✓	✓	✓	✓	✓	✓	•	✓
Carriagla	Remote controls	Proflame GTMFS	•	•	•	•	•	•	✓	
Controls	Wall mounted on/o	ff switch	✓	✓	✓	✓	✓	✓	✓	✓
	Thermostat			•	*	*	*	*	•	*
Variable speed b	lower		✓	✓	*	*	*	•	•	*
	Direct vent		✓	✓	✓	✓	✓	✓	✓	✓
	AstroCap® venting	system	*	*	*	*	*	*	*	*
Venting	HeatWave power d	uct kit or Heat distribution kit	*	*	*	*	•	•	*	
	HeatRelease kit		*	*	*	*	•	•	•	
LP conversion kit			*			•			*	*

- · Not available
- ✓ Standard
- **★** Optional

SPREAD THE WARMTH

ZONE HEATING WITH REGENCY: Add a fireplace to your most frequently used living space and save energy by only heating rooms you use.

HEAT ADJACENT ROOMS WITH THE HEAT WAVE™ - POWER DUCT SYSTEM: Cut down on your heating costs using a Heat Wave kit. The Heat Wave system attaches onto most Regency gas fireplaces allowing you to direct heat into rooms up to 20 feet away. This kit comes complete with vent, variable speed blower (for HeatWave system only) and vent register.



REGENCY REMOTES AND THERMOSTATS



Proflame I GTMF Remote Control



Proflame II GTMF Remote Control




Programmable Thermostat

Create optimal comfort with ease and convenience at the touch of a button with the Regency comfort control system. Our *user friendly programmable controls* can be set, adjusted and programmed for your fireplace to come on at the temperature you want, when you want it. Regency control systems are available with a variety of features to suit your home heating needs.

FEATURE	DESCRIPTION	PROFLAM	PROFLAME REMOTE	
FEATURE	DESCRIPTION	GTMF	GTMFS	THERMOSTAT
On/Off		✓	✓	✓
Child lock		✓	✓	•
LCD backlit screen		✓	✓	✓
Clock		•	•	✓
Temperature display	°F / °C	✓	✓	✓
Th	one setting (all days)	✓	✓	✓
Thermostat	5-day weekday & 2-day weekend	•		✓
Smart thermostat*		✓	✓	•
Flame adjustment	(6 levels)	✓	✓	•
Split flow burner control	(back burner on/off)	•	✓	•
Fan control**	(6 levels)	✓	✓	•
Accent light (On/Off)***		✓	✓	

^{*} Smart thermostat - Rather than a thermostat that simply turns your fireplace on and off, the Smart Control function allows you to set your desired room temperature. As the room reaches your personal setting, the flame intensity and heat gradually decrease – keeping the ambience of your Regency fire on with less heat output and the option to turn it off at any time.

MAXIMIZING COMFORT AND EFFICIENCY



Regency fireplaces deliver controllable heating solutions by combining the latest in radiant/convection heat technology and innovative features:

- $\circ \quad \text{Adjustable flame/heat control} \\$
- Heat radiating ceramic glass for maximum radiant heat performance
- SureFire electronic ignition switch with battery backup features fuel saving intermittent pilot ignition that conserves energy when not in use
- Power's out, heat's on. All Regency gas fireplaces operate without electricity.
 Enjoy peace of mind all winter long

DESIGN VERSATILITY



AstroCap (painted to match home)

You can enjoy the convenience of a gas fireplace anywhere in your home with a Regency direct vent fireplace. Regency direct vent fireplaces maintain indoor air quality by drawing fresh combustion air from outside through our **specialized venting system** into a sealed firebox and sending the used air back outdoors.

Direct vent technology allows you to add a fireplace to rooms with no existing chimney. Simply vent your fireplace through an outside wall and finish it with the patented *Regency astroCap flex venting system*.

^{**} For models that have a blower. *** For models that have an optional accent light.


SPECIFICATIONS


DIMENSIONS	U1500E	U900E
Flue size	5" x 8"	4" x 6-5/8"
Α	49-11/16"	39-3/8"
В	45-1/4"	35"
С	13-1/2"	13-1/16"
D	48"	37-3/4"
E	32-5/8"	31-5/16"
F	22-1/16"	21-13/16"
G	18-1/16"	17-11/16"
Н	6-3/16"	6-5/16"
I	1-1/2"	1-1/2"
J	9-7/8"	10-7/8"
K	29-1/16"	28-9/16"
L	23-15/16"	23-5/16"
M	16-1/4"	15-3/4"

DIMENSIONS	HZ54E	HZ40E	HZ30E
Flue size	5" x 8"	4"x6-5/8"	4"x6-5/8"
Α	59"	49-5/16"	30-9/16"
В	52-5/8"	45-5/8"	28-11/16"
С	31-5/8"	33-3/16"	27-1/16"
D	48-3/4"	38-1/4"	27-5/8"
E	35-1/4"	31"	27-1/16"
F	18-3/8"	18-5/16"	13-1/8"
G	22-3/8"	16-7/8"	14-9/16"
Н	5-11/16"	10"	6-3/8"
I	3-1/8"	3-1/4"	3-1/8"


DIMENSIONS	HZ42STE
Flue size	4" x 6-5/8"
Α	53-3/4"
В	42-7/8"
С	32-1/8"
D	34-1/2"
E	39-11/16"
F	31-1/4"
G	14-15/16"
Н	16-13/16"
Į	8-5/16"
J	3"
K	21"


REGENCY ULTIMATE U1500E/U900E







REGENCY HORIZON® HZ54E










REGENCY HORIZON® HZ40E/HZ30E









REGENCY HORIZON® HZ42STE










DIMENSIONS	HZ965E	HZ33CE
Flue size	5" x 8"	4" x 6-5/8"
Α	36-13/16"	23"
В	18-3/4"	34-9/16"
С	5-1/4"	29-1/4"
D	44-5/8"	29-7/16"
E	43"	26-1/16"
F	33-1/4"	16"
G	52-5/16"	21-3/8"
Н	39-11/16"	3"
I	41-3/16"	2-1/2"


REGENCY HORIZON® HZ965E




REGENCY HORIZON® HZ33CE










FRAMING


FRA	MING	U1500E	U900E	HZ54E	HZ40E	HZ30E
Α		47"	42-1/4"	46-5/8"	42"	33-5/16"
В		55"	45"	60"	49-7/8"	31-3/16"
С	horizontal vent	24-1/4"	22-3/4"	23-3/4"	21-3/16"	15-3/4" with flex 19" with rigid
	vertical vent	24-1/4"	22-3/4"	23-3/4"	25-3/16	22"
_	flex	69-1/2"	52-1/4"	51"	43-7/8"	32-7/8"
D	rigid	69-1/2"	52-1/4"	51"	43-7/8"	35-1/2"
E		65-3/4"	51-1/2"	69"	61"	43-5/16"
F		93"	72-1/2"	97-9/16"	86-1/4"	61-1/4"

If using optional steel stud kit refer to manual for details


REGENCY ULTIMATE U1500E/U900E & REGENCY HORIZON® HZ54E/HZ40E/HZ30E



REGENCY ULTIMATE U1500E/U900E & REGENCY HORIZON® HZ30E




REGENCY HORIZON® HZ54E




Note: Three horizontal steel studs must be installed after the unit is in position and the venting, gas and electrical is installed. The horizontal studs allow the non-combustible wall board to be attached and supported.

REGENCY HORIZON® HZ40E



Steel studs



REGENCY HORIZON® HZ42STE



41"

33"

25-1/2"

8-1/2"

PART II

FRAMING HZ42STE Framing Depth* **minus 2X the finished material thickness В Framing Height 42" 54" Horizontal / C Framing Width 58" Vertical Vent Min. Height to Н Combustibles


*Framing depth measurement is noted with nailing strips (top & sides) set as far forward on the firebox as possible. The nailing strips can be adjusted (on both sides) to allow for varying thicknesses in non-combustible material and wall finishes.

**Finished material thickness includes: non-combustible material, tile slate, etc. (example framing = 20" - if 2" thick finishing material is used (on both sides) = 16"

REGENCY HORIZON® HZ965E/HZ33CE

FRAN	IING	HZ965E	HZ33CE		
Α		52-5/16"	31-3/4"		
В		44-3/4"	35"		
	vertical rise	24"	22-3/4"		
С	horizontal rigid	24"	19-3/4"		
	horizontal flex	24"	16"		
D	rigid**	80"	36"		
U	flex**	80"	32"		
E		64"	38-15/16"		
F		90-15/16"	55-1/2"		
G		0"	0"*		
* when not using surround					

* when not using surround (Height will differ when using surrounds) ** minimum height from the base of the unit




В

Note: If this is an outside corner, the minumum distance between the vent and the outside corner is 6" (15cm) with AstroCap termination cap or 12" (30cm) with Rigid Vent termination cap. (For example Dura-Vent)

CLEARANCES


CLEARANCES	U1500E	U900E	HZ54E	HZ40E	HZ30E	HZ42STE
A* (Min.)	25"	20"	20"	17"	13-1/4"	17"
В	6"	8"	4"	8"	8"	7" Horizontal 9" Vertical
С	46-1/4"	48"	40-7/8"	22"	39"	22"
D** (Max.)	12"	12"	13"	13"	12"	12"
E	60"	84"	83"	84"	60"	84"
F	36"	36"	36"	36"	36"	36"
G	24-1/4"	24"	28-7/8"	27"	21"	25-1/4"

^{*} Minimum at 1" deep



NON-COMBUSTIBLE REQUIREMENTS


	U1500E	U900E	HZ54E	HZ40E	HZ30E
Α	56-1/2"	46-1/2"	60-1/2"	51-5/16"	32-11/16"
В	23-7/8"	20"	19-7/8"	20"	13-1/8"
С	18-1/8"	17-3/4"	22-1/2"	13-13/16"	14-13/16"
D	50"	39-7/8"	52-7/8"	39-7/8"	29-1/8"
E	3-1/4"	3-7/16"	3-7/8"	5-11/16"	1-7/8"
F	42-1/8"	37-3/4"	42-3/8"	33-13/16"	27-15/16"
G	6-3/16"	6-1/8"	5-1/2"	10"	6-1/4"




REGENCY HORIZON® HZ965E

	HZ965E	HZ33CE
Α	1"	0"
В	10"	9"
С	N/A	30"
D	46"	84"
Ε	12"	36"
F	min. 18-1/2"	12"
G	14"	15-3/4"

^{*} For complete instructions please see manual



REGENCY HORIZON® HZ33CE




^{**} HZ30E - Minimum at 21-1/4" above HZ42STE - Minimum at 21-1/2" above HZ54E - Minimum at 30" above

SURROUND DIMENSIONS


SURROUND DIMENSIONS		A	В	С	D
U1500E	Finishing trim	50-3/4"	19"	n/a	n/a
	Inner and outer frame	53-1/2"	21-3/4"	45-1/4"	13-1/2"
	Verona glass with inner frame	57-1/2"	25-3/4"	49-1/2"	17-3/4"
U900E	Finishing trim	40-1/8"	18-3/8"	39"	17-3/16"
	Inner and outer frame	43-1/16"	20-9/16"	35"	13"
	Verona glass	47"	25-1/4"	38-7/8"	17-1/4"
HZ54E	Verona 54 - glass/metal	58-9/16"	27-1/8"	50-3/4"	19-1/8"
	Inner and outer frame	56-11/16"	25-1/8"	45-3/16"	13-5/8"
HZ42STE/ HZ40E	Verona 40 - glass/metal	44"	20-7/8"	36"	12-7/8"
	Inner and outer frame	43-1/16"	20-9/16"	35-1/2"	12-1/2"
HZ33CE	Verona 33 - glass/metal	42-5/16"	36-3/4"	29-1/2"	21-1/2"
HZ30E	Verona 30 - glass/metal	33"	18-1/2"	25"	10-1/2"
	Inner and outer frame	32-3/8"	18-1/16"	27-5/8"	10-1/8"

FINISHING TRIM
Available for models:
U1500E, U900E


 INNER & OUTER FRAME Available for models: HZ30E, HZ40E, HZ42STE, HZ54E, U1500E & U900E



VERONA
Available for models:
HZ30E, HZ33CE,
HZ40E & HZ42STE



VERONA
Available for models:
HZ54E, U1500E
& U900E



FIREPLACE PLANNING MADE SIMPLE

Your Regency® matches your home and lifestyle perfectly. How do we know that? Because you designed it yourself!

www.regency-fire.com

1



DESIGN

Go to **regency-fire.com** and design your perfect fireplace with the Fireplace Design Center.

3



NO CHIMNEY? NO PROBLEM!

Direct vent technology means you no longer need an expensive, elaborate chimney. Simply vent your fireplace through an outside wall and finish it with an AstroCap™.

2



VISIT A REGENCY DEALER

Show your plan to one of our sales associates for expert advice. Your authorized Regency dealer will advise you on all the technical aspects and install your Regency.

4



ENJOY!


30

U900E shown with contemporary door frame and black glass surround.









regency-fire.com



Gas Fireplace Energy
Efficiency Rating in this brochure

Based on CSA P.4.1-15



©2019 FPI Fireplace Products International Ltd. Regency®, Regency Ultimate™, Regency Horizon®, SureFire™, HeatWave™, HeatRelease™, AstroCap®, are registered or proprietary trademarks of FPI Fireplace Products International Ltd. All rights reserved. Printed in Canada (07/19) Part no. 944-286 Your Regency Dealer